HPE ProLiant DL380 Gen10 Server 4210R 1P 32GB RDIMM P408i-a 2GB 8SFF 800W 3 Year (without bezel) P24841-B21

Description

Supertech Web Store

HPE ProLiant DL380 Gen10 Server 4210R 1P 32GB RDIMM P408i-a 2GB 8SFF 800W 3 Year (without bezel) P24841-B21

The **HPE ProLiant DL380 Gen10 Server (P24841-B21)** is built to deliver outstanding performance and flexibility. Powered by an **Intel Xeon Silver 4210R** processor and **32GB RDIMM**, it includes a **P408i-a RAID controller with 2GB cache**, **8SFF drive bays**, and an **800W power supply**. This 1P server comes **without bezel** and is ideal for modern data centers.

Processor core available10, per processor

Processor cache13.75 MB L3

Memory typeHPE DDR4 SmartMemory

NVDIMM typeHPE NVDIMM-N *Only available on 1st Generation Intel® Xeon® Scalable Processors

NVDIMM rank Single rank

NVDIMM capacity16 GB

Infrastructure managementHPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download) (standard) HPE iLO Advanced, and HPE OneView Advanced (optional; requires licenses)

System fan features4 single-rotor, standard fans included

Power supply type1 HPE 800W Flex Slot Universal Hot Plug Low Halogen

Expansion slots8, for detailed descriptions reference the QuickSpecs

Network controller1 HPE Ethernet 1Gb 4-port 366FLR FlexibleLOM Adapter
(665240-B21) plus optional
stand-up card
*NOTE: No embedded networking

Storage controller1 HPE Smart Array P408i-a/2GB with Smart Storage Battery and 1 HPE Smart Array S100i

Warranty3/3/3 – Server Warranty includes three years of parts, three years of labor, three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support

Processor name Intel® Xeon® Scalable 4210R (10 core, 2.4 GHz, 13.75 MB, 100W)

Processor number1

Processor speed2.4 GHz

Memory, standard32 GB (1x 32GB) RDIMM

Supertech Web Store

Included hard drives None ship standard, 8 SFF drives supported

Optical drive type Optional

SecurityOptional locking Bezel Kit, Intrusion Detection Kit, and HPE TPM 2.0

Form Factor2U

Weight32.6 lb

Weight14.76 kg

Minimum dimensions (H x W x D)17.54 x 28.75 x 3.44 in

Minimum dimensions (H x W x D)44.55 x 73.03 x 8.74 cm

Overview

Image not found or type unknown

Adaptable for diverse workloads and environments, the secure 2P 2U HPE ProLiant DL380 Gen10 delivers world-class performance with the right balance of expandability and scalability. Designed for supreme versatility and resiliency while being backed by a comprehensive warranty make it ideal for multiple environments from Containers to Cloud to Big Data. Standardize on the industry's most trusted compute platform.

Environmental Certification

Image not found or type unknown

WEEE

EU WEEE

ENERGY STAR 3.0

Supertech Web Store

Looking for a powerful and reliable server? Check out the **HPE ProLiant DL380 Gen10 4208 32GB-R Server** with P816i-a RAID, 12LFF bays, and 800W RPS power supply—ideal for enterprise workloads. Available now at Supertech!